



FINISHING
Systems

MBM 208J


Automatic Friction Feed
Desktop Folder



MBM 208J

The **208J** desktop folder has an easy set-up for standard and custom folds. It is a 3 roller friction feed system. The touch control panel includes a 4 digit counter with addition and subtraction functions. An extended exit tray provides for neat stacking of folded sheets, and the automatic conveyor ensures a smooth ejection of folded paper. The test button will fold 2 sheets for inspection prior to running the entire batch. The single sheet feeding is automatically maintained for different weights of paper. An auxiliary paper guide is included for cross folding. In case of incorrect operation, there is an audible signal and a display alert. It comes with skew and micro-adjustment dials. The **208J** folder has a quick release roller system for easy maintenance.

Finishing Settings: Small to Mid-Size Printer, Mail Rooms, Small to Mid-Size Printer



Specifications



Min. 3 1/2" x 5"
Max. 11" x 17"



14,400
Sheets / Hour



115 V

| MBM 208J | |
|-------------------------|--|
| Speed | Up to 14,400* / Hour |
| Paper size | 3 1/2" x 5" to 11" x 17" |
| Paper weight | 12 to 80 lbs |
| Folds | Standard Pre-Programed Folds |
| Functions | Control touch panel includes 4 digit counter with addition and subtraction functions. Test button folds 2 sheets for inspection. Extended exit tray for neat stacking of folded sheets. Automatic conveyor ensures smooth ejection of folded paper |
| Features | Noise Reduction Mode, Thick Paper Mode, and Quick Mode |
| Optional | Perforating/scoring/kiss cut units available |
| Dimensions | 21 1/2" x 40 5/8" x 19 3/4" |
| Shipping Weight | 73 lbs |
| Electrical requirements | 115 V / 60 Hz |
| Warranty | 1-Year on Parts; Excluding Wearable Parts |

* May fluctuate due to variations in paper and power supply.



Skandacor™ is on a mission to proactively pursue products, solutions, and services that will advance our clients' brands and returns. Our **pro™** lineup of products and equipment creatively deliver the highest value through only the best in opportunity, quality, and performance.

Note: The information given within this spec sheet is believed to be true and accurate and is not intended to violate any statutory condition or right of a third party. Skandacor™ makes no warranty, express or implied, as to the fitness of the products for any specific use or purpose. The included data is purely for reader's consideration, investigation and verification.