



Systems and
EQUIPMENT

PT 335SCC Multi


Slit / Cut / Crease / Perf



PT 335SCC Multi

The new **PT 335SCC Multi** is a complete full-bleed finishing system to fit the digital marketplace. It is equipped with interchangeable creasing/perfing dies, which allow for quick changeovers from perfing to creasing while preventing digital toner cracking. Strike perf capabilities means partial perms are possible in both directions for "T" or "box" perms. The **PT 335SCC Multi** is an ideal finishing solution to maximize efficiency while minimizing operator intervention.

Finishing Applications in Business Cards, Greeting Cards, Invitations, Brochures, Pamphlets, Catalogs, Posters, Book/CD Covers, Photographs, Tent Cards, and more.



Multi Perforating Capabilities

Specifications



Min. 8.26"W x 8.26"L
Max. 13"W x 26.5"L



Up to 25 Sheets/Min.



110-130 V

	PT 335SCC Multi
Size	Min. 8.26"W x 8.26"L / Max. 13"W x 26.5"L (40" Handfed)
Stock	NonCoated, Coated, Laminated / 150-350gsm (16pt)
Speed	25 Sheets/Min. (8.5" x 11", 2 cuts, 1 Crease)
Slit / Cut / Crease (Perf)	up to 6 Slits, up to 32 Cuts, up to 32 Creases per Sheet
Margin Slit	Side Trim 0.125" to 1.5"
Gutter Slit	Width 0.2" to 0.59" (Larger Gutters Possible)
Features	LCD Display / 4" Pile Feeder / 64 Job Program Memory / 8 Depth settings controlled through touch screen/ Strike Perf Capabilities for "Box" and "T" Perfs / Image Shift Compensation on Both X and Y Axis / Image Shrink or Stretch Compensation for Both X and Y Axis
Optional	Outfeed Conveyor / Linear Strike Perf (up to four 12 or 24 Tpi Perf Tools / Linear Score or Kiss-Cut Tools / Crease Die (0.6mm, 1mm, 1.2mm, 1.4mm) / Perf Die (12 Tpi or 24 Tpi)
Electrical	110-130 V / 15A



Skandacor™ is on mission to proactively pursue products, solutions, and services that will advance our clients brands and returns. Our **pro™** lineup of products and equipment creatively deliver the highest value through only the best in opportunity, quality, and performance.

Note: The information given within this spec sheet is believed to be true and accurate and is not intended to violate any statutory condition or right of a third party. Skandacor™ makes no warranty, express or implied, as to the fitness of the products for any specific use or purpose. The included data is purely for reader's consideration, investigation and verification.