

Laminating and Finishing **SYSTEMS**

FOILER B3 Auto

High-Performance Digital Foiler





1.888.820.9020 skandacor.com

FOILER B3 Auto

The **FOILER B3 Auto** specialty finishing system provides an unparalleled finish for medium and large productions. This is possible thanks to its heating and pressure system, both oil heated, very stable, very robust and equipped with a greater level of precision. With all the re-engineering carried out, its performance and reliability are enormous. It includes higher precision temperature sensors, a special sensory pressure system and a fully automatic, deep pile feeding head.

Finishing Applications in Advertising, Packaging, Specialty Finishing and much more.

Foiler B3 Auto

27 ft/min*

| ſ | | | |
|---|--|----|-----|
| L | | | Т |
| Ľ | | ٦ | - 1 |
| н | | I. | |

Min 8.6" x 8.6" Max. 15" x 27.5"



Up to 27 ft/min



230 V single phase Varnish thickness 0 – 80 µm Foiling unit Automatic self-regulated accuracy pressure system. Up to 101 Newtons / linear mm pressure. Delivery unit 1 fan battery for cooling foil. 1 fan battery to ease the exit. Safety and protection CE standards, emergency stops and safety sensors. Continuous equipment protection monitoring on feeding, pressure and heating systems. Dimensions ($W \times L \times H$) 42.1" x 80.5" x 57.1" Weight 882 lbs Electricals 230 V single phase, 16 A

Min: 8.6" x 8.6", Max: 15" x 27.5", 130 - 350 gsm

Pneumatic feeder with two air suction units. Stack height 7.9" and 176 lbs capacity.

Specifications

Format and paper weight

Feeder System

Speed

*Depending on foil, external conditions, type of paper, paper grammages and formats.



Bagel Systems come with modular options that work to further enhance productivity. Contact Skandacor[™] to learn more on this lineup of equipment and determine which system will work for your specific needs.



Note: The information given within this spec sheet is believed to be true and accurate and is not intended to violate any statutory condition or right of a third party. SkandacorTM makes no warranty, express or implied, as to the fitness of the products for any specific use or purpose. The included data is purely for reader's consideration, investigation and verification.

Skandacor The proactive finish."

1.888.820.9020 skandacor.com