



Laminating and
Finishing **SYSTEMS**

DIGIFAV B3 DS

High Performance Double Sided Digital Laminator



DIGIFAV B3 DS

The **DIGIFAV B3 DS** is designed to laminate B3 sheets at speeds up to 65 ft/min. This laminator performs better and achieves higher quality and productivity compared to conventional laminators. The rollers use an oil heating system providing consistent temperatures, minimizing excess energy consumption and prolonging the life of the roller's internal elements. The **DIGIFAV B3 DS** supports SLEEKpro™ metallic foils, as well as clear and hologram finishes.

Finishing Applications in Stationery, Advertising, Packaging, Publishing, Security and much more.



Min. 8.26" x 11.7"
Max. 14.9" x 27.5"



Up to 65 ft/min



Touch Screen



101 N/mm
Linear



230V Single Phase



1797 lbs

Sheet Size	Min: 8.26" x 11.7" / Max: 14.9" x 27.5"
Film Thickness	1.0 mil - 2.0 mil
Max Roll Diameter	18"
Paper Weight*	130 – 450 g/m2
Feeder system	Pneumatic feeder with two air suction units, one transport conveyor and four frontal stops. 400 mm stack height and 100 kg capacity +/- 1 m overlap tolerance.

Blower	Extra Blower on Entry and Exit
Speed	Up to 65 ft/min
Cutting	Bursting rollers system, pneumatic micro perforator and industrial cooling system.
Electrical	230V Single Phase
Unit Size	40.5"W x 122.8"L x 62.5"H

Options Available

Bagel Systems come with modular options that work to further enhance productivity. Contact Skandacor™ to learn more on this lineup of equipment and determine which system will work for your specific needs.



Table Jogger



Pallet Stacker
and Delivery
System



SLEEKpro™
Module

Skandacor™ proactively works to trail blaze and bring clients only the best in print finishing product and equipment.

We are proud to partner with Bagel Systems™ to offer legendary equipment that works brilliantly with our lineup of TRADEpro™ and SPECIALTYpro™ laminate films as well as digital SLEEKpro™ foils and finishes.



TRADE
Laminate Films



SPECIALTY
Thermal
Laminate Films

SLEEKpro
Digital Spot and Foil Finishing



Note: The information given within this spec sheet is believed to be true and accurate and is not intended to violate any statutory condition or right of a third party. Skandacor™ makes no warranty, express or implied, as to the fitness of the products for any specific use or purpose. The included data is purely for reader's consideration, investigation and verification.